




Woodworking machinery and tools



2016 / 2017



www.ney.co.uk

Dust Collectors

Professional solutions



AS182K / AS282K / AS382L | Dust collectors

Professional dust and liquid collectors. Specially designed for connecting machines and power tools. Thanks to their power they allow to work in more comfortable and safety conditions. Provided with a socket for power tools connection they have a special switch on system which activates the dust collector when switching on the tool plugged in it, and stops it some seconds later than the tool. Equipped with double pipe connection allowing to connect two machines at once.

The model AS382L is equipped with two motors and has a high suction power.



The AS182K dust collector is easily transportable.



Double filter system for micro-particles.



Possibility to connect two machines at once.


Optional dust bags
10 bags for AS182K (ref. 8299160)
5 bags for AS282K and AS382L (ref. 8299161)



Socket for connecting power tools.



The AS282K and AS382L dust collectors have a big capacity container.



Dust collector kit ref. 8246233 (Optional)*

| Pos. | Ref. | Denomination |
|--------|---------|--------------------|
| 1 | 8299157 | Flexible pipe 2 m |
| 2 | 8299158 | Brush |
| 3 | 8299159 | Nozzle for liquids |
| 4 | 8202131 | Nozzle for grooves |
| 5 | 8299092 | Round brush |
| 6 Et 7 | 8202316 | Pipe |
| 8 | 8202317 | Articulated pipe |
| 9 | 8202134 | Triangular nozzle |



Optional accessory
8299173 "Y" connector for AS382L (Included as standard on models AS182K Et AS282K)

(*) The dust collector kit ref. 8246233 is included as standard with models AS182K and AS282K.

Specifications

| | | | |
|--------------------------------------|---------|--|-----------------------|
| Input power AS182K and AS282K | 1,200 W | Air delivery AS182K and AS282K | 170 m ³ /h |
| Input power AS382L | 2,300 W | Air delivery AS382L | 340 m ³ /h |
| Container capacity AS182K | 27 l | Socket for power tools connection max. | 2,000 W |
| Container capacity AS282K and AS382L | 72 l | Cable length | 8 m |
| Cooling | by-pass | Polyester filter included | |
| Water col. vac. (H2O) | 2,200 | Special filter for fine dusts included | |



Model available only in Spain.

ASC482U | Compact dust collector

Strong and compact professional vacuum cleaner for dust and liquids, specially designed for connecting power tools. Thanks to its high suction power it allows to work in more comfortable and safety conditions. Provided with a socket for connecting the power tools it has a electronic switch on system wich activated the vacuum cleaner when switching on the tool plugged in it, and stops it some seconds later than the tool, to allow thw vacuum cleaner to vacuum the remaining dust on the tool and the pipe. Electronic adjustment, specially suitable for rotary orbital sanders to avoid the possibility they can remain stuck to the workpiece when sanding, due to the suction power.

Standard equipment

Flexible pipe, filter for dust, filter for liquids, 1 paper dust bag.



Double filter for microparticles. Automatic shaker for filter.

Optional accessories

- 8245979 "Y" connector
- 8245847 Dust collector kit

Optional dust bags

- 8299566 Paper bags for AS482U
- 8299575 Felt dust bag for AS482U



Dust collector kit ref. 8245847 (Optional)

| Pos. | Ref. | Denomination |
|--------|---------|--------------------|
| 1 | 8299158 | Brush |
| 2 | 8299159 | Nozzle for liquids |
| 3 | 8202131 | Nozzle for grooves |
| 4 | 8299092 | Round brush |
| 5 Et 6 | 8202316 | Pipe |
| 7 | 8202317 | Articulated pipe |
| 8 | 8202134 | Triangular nozzle |

Specifications

| | |
|---|-----------------------|
| Input power (electronic adjustment) | 1,200 W |
| Socket for power tools connection max. | 2,200 W |
| Container capacity | 25 l |
| Air delivery | 240 m ³ /h |
| Max. depression mm (H ₂ O) 2.500 | 250 mbar |
| Weight | 13 kg |



ASM582T | Dust collector M class

Dust collector for all kind of dust, wooden chips or non dangerous mineral materials. Filter "M" class for mineral and wooden dust MAK>0,1 mg/m³. Equipped with automatic filter shaker.

Thanks to its high suction power it allows to work in more comfortable and safety conditions. Provided with a socket for connecting the power tools it has a electronic switch on system wich activated the vacuum cleaner when switching on the tool plugged in it, and stops it some seconds later than the tool, to allow thw vacuum cleaner to vacuum the remaining dust on the tool and the pipe.



"M" class filter with automatic shaker.



Socket for connecting power tools.

Standard equipment

Flexible pipe and polyester dust bag.

Optional accessories


- 8299656 "Y" connector
- 8299645 Paper bag
- 8245847 Dust collector kit

Specifications

| | |
|--|-----------------------|
| Input power | 1,400 W |
| Socket for power tools connection max. | 2,400 W |
| Container capacity | 21 l |
| Air delivery | 215 m ³ /h |
| Weight | 12 kg |

System for connection to dust collectors

AS182K / AS282K / AS382L / ASC482U / ASM582T





www.virutex.es



Woodworking machinery and tools



2016 / 2017



Professional solutions

NEY Ltd (Head Office)
Stonebridge Trading Estate
Sibree Road
Coventry
CV3 4FD

T: 024 7630 8100
F: 024 7630 8101
machines.info@ney.co.uk

NEY Ireland
Unit 22 Blaris Industrial Estate
Altona Road
Lisburn
BT27 5QB

T: 028 92 673 000
F: 028 92 672 999
ireland@ney.co.uk

NEY Scotland
Block 2 Units 1-2-3,
Bandeath Ind Est, Throsk
Stirling,
FK7 7NP

T: 01786 814 814
F: 01786 814 812
scotland@ney.co.uk

www.ney.co.uk

A comprehensive approach to the Woodworking Industry