NEY Product Information

Technical Specification

Multi-Omega

Sliding Door System

NEY Ltd (Head Office)
Stonebridge Trading Estate
Sibree Road
Coventry
CV3 4FD

t 024 7630 8100
f 024 7630 8101
e sales@ney.co.uk

NEY Ireland
Unit 22 Blaris Ind Estate
Altona Road
Lisburn
BT27 5QB

t 028 92 673 000
f 028 92 672 999
e ireland@ney.co.uk

NEY Scotland
Block 2 Units 1-2-3
Bandeath Ind Est
Throsk, Stirling
FK7 7NP

t 01786 814 814
f 01786 814 812
e scotland@ney.co.uk

MULTI**OMEGA - 50 kg**

WARDROBE FURNISHINGS

v02.2011

16mm and 18mm board , 12mm board+4mm mirror

H - opening assembly height [mm] **S** - opening assembly width [mm] | $*h_p$, h_L – for horizontal rails option see Rama Plus

12 mm + 4 mm	number of doors	n	n=2	n=3	n=4	n=5
	board height	$*h_p$	$h_p = H - 49$ mm.			
	board width	b_p	$b_p = \frac{S+14}{2}$ mm.	$b_p = \frac{S+41}{3}$ mm.	$b_p = \frac{S+68}{4}$ mm.	$b_p = \frac{S+95}{5}$ mm.
	mirror height	$*h_L$	$h_L = h_P - 4$ mm.			
	mirror width	b_L	$b_L = \frac{S+6}{2}$ mm.	$b_L = \frac{S+29}{3}$ mm.	$b_L = \frac{S+52}{4}$ mm.	$b_L = \frac{S+75}{5}$ mm.
	handle lenght upper, lower rail and connector length	L_R	$L_R = h_P + 2$ mm			
16 mm	number of doors	n	n=2	n=3	n=4	n=5
	board height	$*h_p$	$h_p = H - 49$ mm.			
	board width	b_p	$b_p = \frac{S+12}{2}$ mm.	$b_p = \frac{S+38}{3}$ mm.	$b_p = \frac{S+64}{4}$ mm.	$b_p = \frac{S+90}{5}$ mm.
	handle lenght upper, lower rail and connector length	L_R	$L_R = h_P + 2$ mm			
18 mm	number of doors	n	n=2	n=3	n=4	n=5
	board height	$*h_p$	$h_p = H - 49$ mm.			
	board width	b_p	$b_p = \frac{S-18}{2}$mm.	$b_p = \frac{S-7}{3}$mm.	$b_p = \frac{S+4}{4}$mm.	$b_p = \frac{S+15}{5}$mm.
	handle lenght upper, lower rail and connector length	L_R	$L_R = h_P + 2$ mm			











ASSEMBLY PROCEDURE FOR BOARDS IN PROFILES